





DH1~DH2=25816 (±20)

Stroke for PB must be minimum 600 [$+200$] μ m



Coordinates			
Mark	X	Y	R
GM	0	0	
DH1	3000	13000	
DH2	2100	-12800	
a1	3441	14908	430
a2	1865	15186	430
a3	-15151	2129	430
a4	-15291	535	430
a5	10434	-11190	430
a6	9208	-12219	430



Quantity	Unit	Cal. No. :
△	1/1000 mm	0S10
△	Scale	6:1
△	Date	Parts:
△	Drawn	Name:
△	Checked	Frame for Case
△	Approved	T. Hiruta
Material		
Heat Treatment		
Hardness		
Plating		
General Tolerances		
Dimensions		
Angles		
Drawing No. : 0S10C000		

MIYOTA

This drawing is provisional and subject to our reconfirmation and/or revision without notice.





DC1, DC3, C2 CENTER DH1 (DH2)

OS10-00A (01) *** (2100 1121) 00-07-05 *** T I P W	7		Quantity		Cal. No. : OS10-00A OS60-00A
	6		Unit	1/1000 mm	
	5		Scale	4:1	Parts:
	4		Date		
	3		Drawn		
	2		Checked	T. Hiruta	Name:
	1		Approved		Indications for Dial
Material				Drawing No. : OS10D000	
Heat Treatment		General Tolerances		MIYOTA	
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



OS10-00S (01) *** (2100 1121) 00-07-05 30.5



DC1, DC3, C2 CENTER DH1 (DH2)

7		Quantity		Cal. No. : OS10-00S OS60-00S
6		Unit	1/1000 mm	
5		Scale	4:1	Parts:
4		Date		
3		Drawn		Name: Indications for Dial
2		Checked	T. Hiruta	
1		Approved		Drawing No. : OS10D010
Material				MIYOTA
Heat Treatment		General Tolerances		
Hardness		Dimensions		
Plating		Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.




DC1, DC3, C2 CENTER DH1 (DH2)

OS10-00U (01) *** (2100 1121) 00-07-05	7		Quantity		Cal. No. : OS10-00U OS60-00U
	6		Unit	1/1000 mm	
	5		Scale	4:1	Parts:
	4		Date		
	3		Drawn		
	2		Checked	T. Hiruta	Name:
1		Approved		Indications for Dial	
Material					Drawing No. : OS10D020
Heat Treatment			General Tolerances		MIYOTA
Hardness			Dimensions		
Plating			Angles		


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W (01) *** (2100 1121) 00-07-05



S0. 9, P=0. 225mm

Ø 1000



7		Quantity		Cal. No. :
6		Unit	1/1000 mm	Parts:
5		Scale	20:1	
4		Date		065-453
3		Drawn		
2		Checked	T. Hiruta	Name:
1		Approved		SETTING STEM
Material				Drawing No. : 4530S000
Heat Treatment		General Tolerances		MIYOTA
Hardness		Dimensions		
Plating		Angles		