



2007/02/13 (15:58:55)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.


DH1~DH2=25815.7 (±20)

Coordinates


記号	X	Y	R
GM	0	0	—
DH1	3000	13000	—
DH2	2100	-12800	—
a1	3441	14908	430
a2	1865	15186	430
a3	-15151	2129	430
a4	-15291	535	430
a5	10434	-11190	430
a6	9208	-12219	430



Section PB1,2




Section a1~a6



△		Quantity		Cal. NO.:	
△		Unit	1/1000mm		0S25
△		Scale	6/1	Parts No.:	
△		Date			
△		Drawn			
Mark	Date	Description	Appr.	Checked	M. Fukuda
Alterations				Approved	
Material				Name:	
Heat Treatment				Frame for Case	
Hardness				Drawing No.: 0S25C000	
Plating					
			General Tolerances		
			Dimensions		
			Angles		
CITIZEN WATCH CO., LTD. TOKYO, JAPAN					

2007/02/13 (16:01:01)


This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△5			Quantity		Cal.NO.:
△4			Unit	1 / 1000 mm	0S25-00A
△3			Scale	4 / 1	Parts No.:
△2			Date		
△1			Drawn		
Mark	Date	Description	Appr.	Checked	Name:
		Alterations	Approved	M. Fukuda	Indications for Dial
Material					Drawing No.: 0S25D000
Heat Treatment			General Tolerances	MIYOTA CITIZEN WATCH CO., LTD. TOKYO, JAPAN	
Hardness			Dimensions		
Plating			Angles		


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W (01) *** (2100 1121) 00-07-06



S.O. 9, P=0. 225mm

Φ 1000



7			Quantity		Cal. No. :
6			Unit	1/1000 mm	
5			Scale	20:1	Parts:
4			Date		065-453
3			Drawn		
2			Checked	T. Hiruta	Name:
1			Approved		SETTING STEM
Material					Drawing No. : 4530S000
Heat Treatment			General Tolerances		CITIZEN WATCH CO.,LTD. TOKYO, JAPAN
Hardness			Dimensions		
Plating			Angles		