




Coordinates			
器具	X	Y	R
GM	0	0	—
DH1	3000	13000	—
DH2	2100	-12800	—
a1	3441	14908	430
a2	1865	15186	430
a3	-15151	2129	430
a4	-15291	535	430
a5	10434	-11190	430
a6	9208	-12219	430




△	Quantity	1/1000mm	Cal. NO.:	OS62
△	Unit		Parts No.:	
△	Scale		Name:	Frame for Case
△	Date		Drawing No.:	0562C0AS
△	Drawn			
△	Checked	M. Fukuda		
△	Approved			
Material				
Heat Treatment				
Hardness				
Plating				
General Tolerances				
Dimensions				
Angles				

MIYOTA
CITIZEN WATCH CO., LTD. TOKYO, JAPAN

2006/03/29 (11:15:44)


This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1/1000mm	OS62-00A
△			Scale		Parts No.:
△			Date		
△			Drawn		
Mark	Date	Description	Appro.	Checked	Name:
		Alterations	Approved	M. Fukuda	Indications for Dial
Material					Drawing No.: OS62D0AS
Heat Treatment			General Tolerances	MIYOTA CITIZEN WATCH CO., LTD. TOKYO, JAPAN	
Hardness			Dimensions		
Plating			Angles		


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

(01) *** (2100-1121) 0.0-0.7-05
 065-453
 T I P W



Section A-A

S0. 9, P=0. 225mm



△			Quantity		Cal. No. :
△			Unit	1/1000 mm	
△			Scale		Parts :
△			Date		065-453
△			Drawn		Name :
△			Checked	T. Hiruta	SETTING STEM
△			Approved		Drawing No. : 4530S000
Material					
Heat Treatment			General Tolerances		
Hardness			Dimensions		
Plating			Angles		

MIYOTA