


DH7~DH8=24390 (±20)
 DH7~DH11=24487 (±20)
 DH9~DH10=24493 (±20)

Coordinates	
Mark	X Y
GM	0 0
DH7	9207 8080
DH8	-7522 -9668
DH9	-10045 7012
DH10	9700 -7481
DH11	-8662 -8662




Hook of Casing Holder

Quantity	Unit	1/1000 mm	Cal. No. : 1S13
△	Scale	8:1	Parts:
△	Date		Name: T. Hiruta
△	Drawn		Frame for Case
△	Checked		Drawing No. : 1S13C0000
△	Approved		
Material			
Heat Treatment			
Hardness			
Plating			
General Tolerances			
Dimensions			
Angles			

MIYOTA

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W 1S13-10A (01) *** (2100 1121) 03-11-06




7		Quantity	Cal. No. :
6		Unit	1S13-10A
5		Scale	5:1
4		Date	Parts:
3		Drawn	Name:
2		Checked M. Fukuda	Indications for Dial
1		Approved	Drawing No. : 1S13D000
Material			
Heat Treatment		General Tolerances	
Hardness		Dimensions	
Plating		Angles	

MIYOTA

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W 1S13-10X (01) *** (2100 1121) 03-11-06



7		Quantity	Cal. No. :
6		Unit	1S13-10X
5		Scale	5:1
4		Date	Parts:
3		Drawn	
2		Checked	M. Fukuda
1		Approved	Name:
Material			Indications for Dial
Heat Treatment		General Tolerances	Drawing No. : 1S13D010
Hardness		Dimensions	MIYOTA
Plating		Angles	