






Coordinates

記号	X	Y
GM	0	0
DH7	9207	8080
DH8	-7522	-9668
DH9	-7193	9800
DH10	6848	-10269


DH7~DH8=24390 (±20)  
DH9~DH10=24493 (±20)



△	Quantity	Cal No.: 2350
△	Unit	1 / 1000 mm
△	Scale	7 / 1
△	Drawn	Date
△	Description	Checked
△	Alterations	Approved
△	Date	Drawn
△	Material	Material
△	Heat Treatment	Heat Treatment
△	Hardness	Hardness
△	Plating	Plating
	Parts No.:	M.Fukuda
	Frame for Case	Name:
	Drawing No.:	2350C000

2005/02/15 (14:23:57)


This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity			Cal.NO.:2350-00A
△			Unit	1 / 1000 mm		
△			Scale	5 / 1		Parts No.:
△				Date	Name	
△			Drawn			
Mark	Date	Description	Appr.	Checked	M.Fukuda	Name:
Alterations			Approved			Indications for Dial
Material					Drawing No.:2350D000	
Heat Treatment					MIYOTA	
Hardness						
Plating						

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

\*\*\* T I P W (01) \*\*\* (2100 1121) 00-06-23



7			Quantity		Ca l. No. :
6			Unit	1/1000 mm	
5			Scale	20:1	Parts:
4			Date		065-299
3			Drawn		
2			Checked	T. Hiruta	Name:
1			Approved		SETTING STEM
Material					Drawing No. : 2990S000
Heat Treatment			General Tolerances		
Hardness			Dimensions		
Plating			Angles		