


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** TIPW 5R21 (01) *** (2100 1121) 00-06-26

DH1~DH2=8978 (±20)

Coordinates		
Mark	X	Y
GM	0	0
DH1	-3314	3689
DH2	4150	-1300






△A	Quantity		Cal. No. : 5R21
△A	Unit	1/1000 mm	Parts :
△B	Scale	10:1	Name : Frame for Case
△3	Date		Drawing No. : 5R21C000
△4	Drawn		
△A	Checked	T. Hiruta	
△A	Approved		
Material			
Heat Treatment			
Hardness			
Plating			
General Tolerances			
Dimensions			
Angles			

DH1~DH2=8978 (±20)

Coordinates


Mark	X	Y
GM	0	0
DH1	-3314	3689
DH2	4150	-1300



△7		Quantity	
△6		Unit	1/1000 mm
△5		Scale	10:1
△4		Date	
△3		Drawn	
△2		Checked	T. Hiruta
△1		Approved	
Material		General Tolerances	
Heat Treatment		Dimensions	
Hardness		Angles	
Plating			
Cal. No. : 5R32		Parts :	
Name : Frame for Case		Drawing No. : 5R32C000	

This drawing is provisional and subject to our reconfirmation and/or revision without notice.


*** T I P W (01) *** (2100 1121) 00-06-15
 5R32-00A



7		Quantity		Cal. No. :	5R32-00A
6		Unit	1/1000 mm	Parts:	
5		Scale	10:1	Name:	Indications for Dial Drawing No. : 5R32D000
4		Date			
3		Drawn			
2		Checked	T. Hiruta		
1		Approved			
Material					
Heat Treatment		General Tolerances			
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W (01) *** (2100 1121) 00-06-22 065-413



7		Quantity		Cal. No. :
6		Unit	1/1000 mm	Parts:
5		Scale	20:1	
4		Date		065-413
3		Drawn		
2		Checked	T. Hiruta	Name:
1		Approved		SETTING STEM
Material				Drawing No. : 4130S000
Heat Treatment		General Tolerances		
Hardness		Dimensions		
Plating		Angles		