



This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** TIPW 6P80 (01) *** (2100 1121) 01-02-07

DH5~DH6=22287 (±20)


Coordinates			
Mark	X	Y	R
GM	0	0	—
DH5	-8759	6900	—
DH6	9251	-7500	—
a1	2351	11100	200
a2	7235	9131	200
a3	10800	3490	500
a4	10800	-3490	500
a5	3490	-10800	500
a6	-2700	-11100	200
a7	-5389	-10216	300
a8	-10800	-3490	500
a9	-10800	3490	500
a10	-3490	10800	500
b1	9581	6360	150
b2	7928	8331	150
b3	-5773	9946	150
b4	-7839	8415	150
b5	-9572	-6374	150
b6	-7916	-8342	150
b7	9196	-6906	150
b8	10501	-4890	150



Material	Quantity	Unit	Cal. No. :
Heat Treatment	1/1000	mm	6P80
Hardness	Scale	7:1	Parts:
Plating	Date		
	Drawn		
	Checked	T. Hiruta	Name:
	Approved		Frame for Case
			Drawing No. : 6P80C000
	General Tolerances		
	Dimensions		
	Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

065-379 (01) *** (2100 1121) 00-06-23



7		Quantity		Cal. No. :
6		Unit	1/1000 mm	Parts:
5		Scale	20:1	
4		Date		065-379
3		Drawn		
2		Checked	T. Hiruta	Name:
1		Approved		SETTING STEM
Material				Drawing No. : 3790S000
Heat Treatment		General Tolerances		
Hardness		Dimensions		
Plating		Angles		