





Coordinates

記号	X	Y
GM	0	0
DH1	-7550	10274
DH2	9440	-8570


DH1~DH2=25372.7±20



△	Quantity	1	1000 mm	Cal. NO.: GP01-00A
△	Unit	1	1000 mm	
△	Scale	7	1	Parts No.:
△	Date			
△	Drawn			
Mark	Date	Description	Appro.	Name:
Alterations			Checked	M. Fukuda
			Approved	
Material	General Tolerances			
Heat Treatment	Dimensions			
Hardness	Angles			
Plating				
MIYOTA				
CITIZEN WATCH CO., LTD. TOKYO, JAPAN				
Drawing No.: GP00C001				
Frame for Case				

2006/01/05 (15:09:21)


This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△5			Quantity		Cal.NO.:
△4			Unit	1 / 1000 _{mm}	GP01-00A
△3			Scale	5 / 1	Parts No.:
△2			Date		
△1			Drawn		
Mark	Date	Description	Appr.	Checked	Name:
		Alterations		Approved	M. Fukuda
Material					Indications for Dial
Heat Treatment					Drawing No.: GP01D001
Hardness					MIYOTA
Plating					

2005/02/01 (17:07:32)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity			Cal.NO.:
△			Unit	1 / 1000 mm		
△			Scale	20 / 1		Parts No.:
△				Date	Name	065-992
△			Drawn			
Mark	Date	Description	Appr.	Checked	M. Fukuda	Name:
Alterations			Approved	SETTING STEM		
Material					Drawing No.: 9920S000	
Heat Treatment					General Tolerances	
Hardness					Dimensions	
Plating					Angles	
CITIZEN WATCH CO., LTD. TOKYO, JAPAN						