






This drawing is provisional and subject to our reconfirmation and/or revision without notice.

DH1~DH2=16171±20

Coordinates

Mark	X	Y	R
GM	0	0	1750
f21	4200	7500	1750
DH1	-7900	-3000	—
DH2	8234	-1900	—
a1	-7569	-3828	300
a2	-7252	-4215	200
a3	-5914	-5092	200
a4	-5433	-5228	300
a5	-3437	-6383	400
a6	2156	-6922	400
a7	4625	-5757	300
a8	5106	-5621	200
a9	6444	-4745	200
a10	6761	-4358	300



Section a1~4


Section a7~10

Section f21

Section A-A


Material	Alterations	Date	Description	Appro.	Checked	Drawn	D. Yamada	Name:
Material								Frame for Case
Heat Treatment								Drawing No.: 9T2200C0
Hardness								
Plating								
Quantity	Unit	Scale	Date	Drawn	Checked	Drawn	D. Yamada	Name:
1	1/1000 mm	10:1						Frame for Case
Cal. NO.:	Unit	Scale	Date	Drawn	Checked	Drawn	D. Yamada	Name:
9T22	1/1000 mm	10:1						Frame for Case
Parts No.:	Unit	Scale	Date	Drawn	Checked	Drawn	D. Yamada	Name:
	1/1000 mm	10:1						Frame for Case
General Tolerances	Dimensions	Angles	<p>150 min. 300 max.</p>					
<p>MIYOTA CITIZEN WATCH CO., LTD. TOKYO, JAPAN</p>								

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1 / 1000 mm	9T22-10A
△			Scale	7 : 1	Parts No.:
△			Date		
△			Drawn		
Mark	Date	Description	Appro.	Checked	Name:
		Alterations		Approved	D. Yamada
Material					Indications for Dial
Heat Treatment					Drawing No.: 9T2200D0
Hardness					MIYOTA
Plating					

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1/1000mm	
△			Scale	20:1	Parts No.:
△			Date		065-495
△			Drawn		
Mark	Date	Description	Appr.	Checked	D.Yamada
Alterations			Approved	Name: SETTING STEM	
Material					Drawing No.: 495000S0
Heat Treatment	General Tolerances				MIYOTA
Hardness	Dimensions				
Plating	Angles				
					CITIZEN WATCH CO.,LTD. TOKYO,JAPAN