




DH1~DH2=8978 (±20)

Coordinates		X	Y
Mark			
GM		0	0
DH1		-3314	3689
DH2		4150	-1300



Quantity	Unit	Scale	Date	Checked	Approved
1	1/1000 mm	10:1			
Material					
Heat Treatment					
Hardness					
Plating					
General Tolerances					
Dimensions					
Angles					




MIYOTA

Cal. No. : 5R32
 Parts :
 Name :
 Frame for Case
 Drawing No. : 5R32C000

This drawing is provisional and subject to our reconfirmation and/or revision without notice.


*** T I P W (01) *** (2100 1121) 00-06-15



7		Quantity		Cal. No. :	5R32-00A	
6		Unit	1/1000 mm	Parts:		
5		Scale	10:1	Name:	Indications for Dial	
4		Date		Drawing No. :		5R32D000
3		Drawn				
2		Checked	T. Hiruta			
1		Approved				
Material				MIYOTA		
Heat Treatment		General Tolerances				
Hardness		Dimensions				
Plating		Angles				

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W (01) *** (2100 1121) 00-06-22 065-413



7			Quantity		Cal. No. :
6			Unit	1/1000 mm	
5			Scale	20:1	Parts:
4			Date		065-413
3			Drawn		
2			Checked	T. Hiruta	Name:
1			Approved		SETTING STEM
Material					Drawing No. : 4130S000
Heat Treatment			General Tolerances		MIYOTA
Hardness			Dimensions		
Plating			Angles		