




DH3~DH4=222287 (±20)

Coordinates			
記号	X	Y	R
GM	0	0	
DH3	-8759	6900	
DH4	8251	-7500	
CS1	9173	5700	
CS2	-8390	-6800	




△	Quantity	Cal. NO.:	2117
△	Unit	1/1000 mm	
△	Scale	7:1	Parts No.:
△	Date	Drawn	
△	Date	Checked	
△	Date	Appr.	T. Hiruta
△	Alterations	Approved	Name: Frame for Case
△	Material		Drawing No.: 2117C000
△	Heat Treatment		
△	Hardness		
△	Plating		
	General Tolerances		
	Dimensions		
	Angles		

MIYOTA
CITIZEN WATCH CO., LTD. TOKYO, JAPAN

2009/10/13 (13:47:04)


This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1/1000mm	2117-20A
△			Scale	6:1	Parts No.:
△			Date		
△			Drawn		
Mark	Date	Description	Appr.	Checked	T.Hiruta
Alterations			Approved	Name:	
Material					Indications for Dial
Heat Treatment			General Tolerances		Drawing No.:2117D001
Hardness			Dimensions		MIYOTA
Plating			Angles		

2007/03/16 (09:59:29)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1 / 1000 mm	
△			Scale	20 / 1	Parts No.:
△			Date		065-299
△			Drawn		Name:
Mark	Date	Description	Appro.	Checked	T. Hiruta
Alterations			Approved	SETTING STEM	
Material					Drawing No.: 2990S000
Heat Treatment					MIYOTA CITIZEN WATCH CO., LTD. TOKYO, JAPAN
Hardness	General Tolerances				
Plating	Dimensions				
	Angles				