


# Cal. 0S60 Instruction manual

- A) DISPLAYS AND BUTTONS
- **B) SETTING THE TIME**
- C) SETTING THE DATE
- D) USING THE CHRONOGRAPH
- E) CHRONOGRAPH RESET (INCL. AFTER REPLACING BATTERY)

#### A) DISPLAYS AND BUTTONS



# **B) SETTING THE TIME**

- 1. Pull the crown out to the 2nd position so that the second hand stops at 0 position.
- 2. Turn the crown to set hour and minute hands.
- 3. When the crown is pushed back to the normal position in synchonization with a time signal, small second hand begins to run.

# C) SETTING THE DATE

- 1. Pull the crown out to the 1st position.
- 2. Turn the crown to left to set the date.
  - \* If the date is set between the hours of around 9:00 PM and 1:00 AM,

the date may not change on the following day.

3. After the date has been set, push the crown back to the normal position.

# D) USING THE CHRONOGRAPH

This chronograph is able to measure and display time in 1/20 second united up to maximum of 12 hours.

The chronograph 1/20 second hand keeps continuously for 30 seconds after starting, and then stops at 0 position.

Measuring time with the chronograph

1. Press button B to change the watch to the chronograph mode.

The second hand stops at the 0 position, and changes to the chronograph 1/20 second hand

The chronograph can be started and stopped each time button A is pressed.
The chronograph 1/20 second hand stops at the 0 position 30 seconds after starting,
When button A is pressed to stop the chronograph,

the chronograph 1/20 second hand advances rapidly to display the measured time.

3. Pressing button B resets the chronograph and all hands return to their 0 positions.

# E) CHRONOGRAPH RESET (INCL. AFTER REPLACING BATTERY)

This procedure should be performed when the chronograph second hand and chronograph 1/20 second hand do not return to the 0 positionbeen reset, after the chronograph has and including after the battery has been replaced.

- 1. Pull the crown out to the 2nd position.
- 2. Press button A to set the chronograph second hand to the 0 position.
- 3. Press button B to set the chronograph 1/20 second hand to the 0 position. The chronograph hands can be advanced rapidly by continuously pressing button A or B.
- 4. Once the hands have been zeroed,

reset the time and return the crown to its normal position.

- 5. Press button B to check that the chronograph hands are reset to the 0 position.
- \* Do not return crown to normal position while chronograph second hand and 1/20 chronograph second hand return to 0 position.

Each hands stop on the way when crown is returned to normal position and these hands position are recognized as 0 position.

# These specifications might be changed without prior notice.