




This drawing is provisional and subject to our reconfirmation and/or revision without notice.

xxx T1PW 6P29 (01) xxx (2100 1121) 00-07-19

DH5~DH6=22287 (±20)

Coordinates			
Mark	X	Y	R
GM	0	0	—
DH5	-6759	6900	—
DH6	8251	-7500	—
a1	2351	11100	200
a2	7235	9131	200
a3	10800	3490	500
a4	10800	-3490	500
a5	3490	-10800	500
a6	-2700	-11100	200
a7	-5389	-10216	300
a8	-10800	-3490	500
a9	-10800	3490	500
a10	-8490	10800	500
b1	9581	6360	150
b2	7928	8931	150
b3	-5773	9946	150
b4	-7839	8415	150
b5	-8572	-6374	150
b6	-7916	-8342	150
b7	9196	-6906	150
b8	10501	-4630	150





	H
With Battery strap	3600
Without Battery strap	3450

Quantity	Unit	Cal. No. :
△	1/1000 mm	6P29
△	Scale	7:1
△	Date	
△	Drawn	T. Hiruta
△	Checked	
△	Approved	
Material		Name :
Heat Treatment		Frame for Case
Hardness		Drawing No. : 6P29C0000
Plating		
General Tolerances		
Dimensions		
Angles		

MIYOTA

This drawing is provisional and subject to our reconfirmation and/or revision without notice.




C4, C5, C6 CENTER DH5 (DH6)

*** T I P W *** 6P29-00A (01) *** (2100 1121)	7	Quantity		Cal. No. : 6P29-00A
	6	Unit	1/1000 mm	
	5	Scale	5:1	Parts:
	4	Date		
	3	Drawn		
	2	Checked	T. Hiruta	Name:
	1	Approved		Indications for Dial
Material				Drawing No. : 6P29D000
Heat Treatment		General Tolerances		MIYOTA
Hardness		Dimensions		
Plating		Angles		

2010/05/12 (17:15:34)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



⑤			Quantity		Cal.NO.:
④			Unit	1/1000mm	
③			Scale	20:1	Parts No.:
②			Date		065-379
①			Drawn		
Mark	Date	Description	Appro.	Checked	T.Hiruta
Alterations			Approved	Name:	
			SETTING STEM		
Material					Drawing No.:3790S000
Heat Treatment					MIYOTA CITIZEN WATCH CO.,LTD. TOKYO,JAPAN
Hardness					
Plating					