



This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** TIPW 6P00 (01) *** (2100 1121) 01-02-07


DH5~DH6=22287 (±20)

Coordinates


Mark	X	Y	R
GM	0	0	
DH5	-8759	6900	
DH6	8251	-7500	
a1	2951	11100	200
a2	7235	9131	200
a3	10800	3490	500
a4	10800	-3490	500
a5	3490	-10800	500
a6	-2700	-11100	200
a7	-5389	-10216	300
a8	-10800	-3490	500
a9	-10800	3490	500
a10	-3490	10800	500
b1	9581	6360	150
b2	7928	8331	150
b3	-5773	9346	150
b4	-7839	8415	150
b5	-9572	-6374	150
b6	-7916	-8342	150
b7	9196	-6906	150
b8	10501	-4690	150




Section PB



Section b1~b8



Section CS1~4




Section C5

Quantity	Unit	Cal. No. :
	1/1000 mm	6P00
Scale	7:1	Parts:
Date		Drawn
Checked	T. Hiruta	Approved
Material		Name:
Heat Treatment		Frame for Case
Hardness		Drawing No. :
Plating		6P00C000
General Tolerances		
Dimensions		
Angles		

MIYOTA

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



01-02-07

(2100 1121

6P00-00A (01) ***


*** TIPW

7		Quantity		Cal. No. : 6P00-00A
6		Unit	1/1000 mm	
5		Scale	5:1	Parts:
4		Date		
3		Drawn		
2		Checked	T. Hiruta	Name:
1		Approved		Indications for Dial
Material				Drawing No. : 6P00D000
Heat Treatment		General Tolerances		MIYOTA
Hardness		Dimensions		
Plating		Angles		

2010/05/12 (17:15:34)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

A
B
C
D
E
F



△5			Quantity		Cal.NO.:
△4			Unit	1/1000mm	
△3			Scale	20:1	Parts No.:
△2			Date		065-379
△1			Drawn		
Mark	Date	Description	Appro.	Checked	T.Hiruta
Alterations			Approved	Name:	
			SETTING STEM		
Material					Drawing No.:3790S000
Heat Treatment					MIYOTA
Hardness					
Plating					
			General Tolerances	CITIZEN WATCH CO.,LTD. TOKYO,JAPAN	
			Dimensions		
			Angles		