


Hole for stem removal

記号	X	Y	R
GM	0	0	—
DH1	-15200	-5300	—
DH2	15200	5300	—
b1	3092	16654	320
b2	-16920	800	320
b3	-16920	-800	320
b4	-800	-16920	320
b5	800	-16920	320
b6	16920	-800	320
b7	16920	800	320




△	Quantity	Unit	Cal. NO.:
△	1	1/1000 mm	GS11
△	Scale	6 : 1	Parts No.:
△	Date		
△	Drawn		
△	Checked		
△	Approved		
△	Description	Name: Frame for Case	
△	Date	Drawing No.: GS11C000	
△	Alterations	Approved: N. Suzuki	
△	Material	General Tolerances	
△	Heat Treatment	Dimensions	
△	Hardness	Angles	
△	Plating	CITIZEN WATCH CO., LTD. TOKYO, JAPAN	

MIYOTA
CITIZEN WATCH CO., LTD. TOKYO, JAPAN

2011/11/10 (15:18:11)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.




△			Quantity		Cal.NO.:
△			Unit	1/1000mm	6S11-00A
△			Scale	4:1	Parts No.:
△			Date		
△			Drawn		
Mark	Date	Description	Appr.	Checked	Name:
		Alterations	Approved	N. Suzuki	Indications for Dial
Material					Drawing No.: 6S11D000
Heat Treatment			General Tolerances		
Hardness			Dimensions		
Plating			Angles		
				CITIZEN WATCH CO., LTD. TOKYO, JAPAN	

2010/07/26 (09:03:08)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

A
B
C
D
E
F



△5			Quantity		Cal.NO.:
△4			Unit	1/1000mm	
△3			Scale	20:1	Parts No.:
△2			Date		065-A13
△1			Drawn		
Mark	Date	Description	Appro.	Checked	Name:
		Alterations	Approved	N. Suzuki	SETTING STEM
Material					Drawing No.: A130S000
Heat Treatment			General Tolerances	MIYOTA CITIZEN WATCH CO., LTD. TOKYO, JAPAN	
Hardness			Dimensions		
Plating			Angles		