



This drawing is provisional and subject to our reconfirmation and/or revision without notice.

Mark	X	Y	R
GM	0	0	—
DH3	-8759	6900	—
DH4	8251	-7500	—
b 1	7996	7871	530
b 2	8624	7608	150
b 3	10099	5501	150
b 4	10131	4822	530
b 5	7803	-8063	530
b 6	7535	-8688	150
b 7	5416	-10145	150
b 8	4736	-10171	530
b 9	-7996	-7871	530
b 10	-8624	-7608	150
b 11	-10099	-5501	150
b 12	-10131	-4822	530
b 13	-7803	8063	530
b 14	-7535	8688	150
b 15	-5416	10145	150
b 16	-4736	10171	530



△		Quantity	Cal. NO. :	
△		Unit	1 / 1000 mm	GM02
△		Scale	8 : 1	Parts No. :
△		Date		
△		Drawn		
Mark	Date	Description	Appro. Checked	D. Yamada
	Alterations		Approved	
Material				Drawing No. : GM0200C0
Heat Treatment		General Tolerances		MIYOTA CITIZEN WATCH CO., LTD. TOKYO, JAPAN
Hardness		Dimensions		
Plating		Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



⑤			Quantity		Cal.NO.:	
④			Unit	1 / 1000 mm	GM02-10A	
③			Scale	5 : 1	Parts No.:	
②			Date			
①			Drawn			
Mark	Date	Description	Appr.	Checked	D. Yamada	Name:
Alterations			Approved			Indications for Dial
Material						Drawing No.: GM0200D0
Heat Treatment			General Tolerances		MIYOTA	
Hardness			Dimensions			
Plating			Angles			
						CITIZEN WATCH CO., LTD. TOKYO, JAPAN

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

