


Coordinates		
記号	X	Y
GM	0	0
DH7	9207	8080
DH8	-7522	-9668
DH9	-7193	9800
DH10	6848	-10269


DH7~DH8=24390 (±20)
 DH9~DH10=24493 (±20)



Quantity	Unit	Cal. NO.:
1	1/1000 mm	2315
Scale	7/1	Parts No.:
7/1		
Date		Drawn
Date		Description Appro.
Alterations	Checked	Approved
		M. Fukuda
		Name:
		Frame for Case
		Drawing No.: 2315C000
Material		General Tolerances
Heat Treatment		Dimensions
Hardness		Angles
Plating		

MIYOTA
 CITIZEN WATCH CO., LTD. TOKYO, JAPAN


This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1/1000mm	2315-20A
△			Scale	5:1	Parts No.:
△			Date		
△			Drawn		
Mark	Date	Description	Appr.	Checked	M. Kobayashi
Alterations			Approved	Name:	
Material					Indications for Dial
Heat Treatment					Drawing No.:2315D001
Hardness					MIYOTA
Plating					
					CITIZEN WATCH CO.,LTD. TOKYO,JAPAN

2007/03/16 (09:59:29)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1 / 1000 mm	
△			Scale	20 / 1	Parts No.:
△			Date		065-299
△			Drawn		Name:
Mark	Date	Description	Appro.	Checked	T. Hiruta
Alterations			Approved	SETTING STEM	
Material				Drawing No.: 2990S000	
Heat Treatment				General Tolerances	
Hardness				Dimensions	
Plating				Angles	
				MIYOTA	
				CITIZEN WATCH CO., LTD. TOKYO, JAPAN	