


DH1~DH2=25816 (±20)

Coordinates


記号	X	Y	R
GM	0	0	——
DH1	3000	13000	——
DH2	2100	-12800	——
a1	3441	14908	430
a2	1865	15186	430
a3	-15151	2129	430
a4	-15291	535	430
a5	10434	-11190	430
a6	9208	-12219	430







Section PB1,2





Section a1~a6

⑤			Quantity		Cal.NO.: 0S2B
④			Unit	1/1000mm	
③			Scale	6 : 1	Parts No.:
②			Date		
①			Drawn		
Mark	Date	Description Appro.	Checked	N.Suzuki	Name: Frame for Case
Alterations			Approved		
Material					Drawing No.: 0S2BC000
Heat Treatment			General Tolerances		MIYOTA
Hardness			Dimensions		CITIZEN WATCH CO.,LTD. TOKYO,JAPAN
Plating			Angles		

2008/09/17 (13:46:52)
This drawing is provisional and subject to our reconfirmation and/or revision without notice.


CONFIDENTIAL 2015/12/02 (09:37:11)
This drawing is provisional and subject to our reconfirmation and/or revision without notice.





⑤			Quantity		Cal.NO.: 0S2B-10A
④			Unit	1/1000mm	
③			Scale	4 : 1	Parts No.:
②			Date		
①			Drawn		
Mark	Date	Description Appro.	Checked	M.Kobayashi	Name:
Alterations			Approved		Indications for Dial
Material					Drawing No.: 0S2BD001
Heat Treatment			General Tolerances		MIYOTA
Hardness			Dimensions		
Plating			Angles		CITIZEN WATCH CO.,LTD. TOKYO,JAPAN

CONFIDENTIAL 2015/03/03 (13:48:01)
This drawing is provisional and subject to our reconfirmation and/or revision without notice.



⑤			Quantity		Cal.NO.:
④			Unit	1／1000mm	
③			Scale	20：1	Parts No.:
②			Date		065-453
①			Drawn		
Mark	Date	Description Appro.	Checked	E.Murakami	Name:
Alterations			Approved		SETTING STEM
Material					Drawing No.:4530S000
Heat Treatment			General Tolerances		MIYOTA
Hardness			Dimensions		
Plating			Angles		CITIZEN WATCH CO.,LTD. TOKYO,JAPAN