



F E D C B A

DH1~DH2=23609



Section CS1,CS2

View A-A




S0.9 A

ST A

Hole for stem removal


Dial

ST




Material	Alterations	Date	Description	Appr.	Checked	Drawn	D. Yamada	Name:	Frame for Case
Heat Treatment									Drawing No.:8N4000C0
Hardness									
Plating									
Quantity	Unit	Scale	Date	Drawn	Checked	Drawn	D. Yamada	Name:	Frame for Case
1	1/1000 mm	6:1							
Cal. NO.:	8N40								
Parts No.:									

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1 / 1000 mm	8N40-43A
△			Scale	5 : 1	Parts No.:
△			Date		
△			Drawn		
Mark	Date	Description	Appr.	Checked	Name:
		Alterations		Approved	D. Yamada
Material					Indications for Dial
Heat Treatment					Drawing No.: 8N4000D0
Hardness					MIYOTA
Plating					

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1/1000mm	
△			Scale	15:1	Parts No.:
△			Date		065-212
△			Drawn		Name:
Mark	Date	Description	Appr.	Checked	D. Yamada
Alterations			Approved	SETTING STEM	
Material					Drawing No.: 212000S0
Heat Treatment					MIYOTA CITIZEN WATCH CO., LTD. TOKYO, JAPAN
Hardness	General Tolerances				
Plating	Dimensions				
	Angles				