




This drawing is provisional and subject to our reconfirmation and/or revision without notice.

DH1~DH2=13499 (±20)

Coordinates


記号	X	Y	R
GM	0	0	—
DH1	-6850	-1200	—
DH2	6620	-2080	—
a1	-6062	-3648	300
a2	-5872	-4111	200
a3	-4850	-4915	200
a4	-4356	-4991	300
a5	3166	-5581	300
a6	3665	-5583	200
a7	4800	-4948	200
a8	5060	-4521	300
f1	4684	5943	1300
f2	-6086	4956	1300



△	Quantity	1/1000 mm	Cal. NO.:	5Y30
△	Unit	Scale	Parts No.:	
△	Scale	Date		
△	Date	Drawn		
△	Mark	Description	Appro.	N. Suzuki
	Date	Checked		
	Alterations	Approved		
	Material			
	Heat Treatment			
	Hardness			
	Plating			


Material: General Tolerances
 Hardness: Dimensions
 Plating: Angles

Name: Frame for Case
 Drawing No.: 5Y30C010



This drawing is provisional and subject to our reconfirmation and/or revision without notice.


*** T I P W (01) *** (2100 1121) 5Y30-00A *** 00-06-14



7		Quantity		Ca l. No. :	5Y30-00A
6		Unit	1/1000 mm	Parts:	
5		Scale	8:1	Name:	Indications for Dial
4		Date		Drawing No. : 5Y30D000	
3		Drawn			
2		Checked	T. Hiruta		
1		Approved			
Material					
Heat Treatment		General Tolerances		MIYOTA	
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W (01) *** (2100 1121) 00-06-22 065-403



7		Quantity		Cal. No. :
6		Unit	1/1000 mm	Parts:
5		Scale	20:1	
4		Date		065-403
3		Drawn		
2		Checked	T. Hiruta	Name:
1		Approved		SETTING STEM
Material				Drawing No. : 4030S000
Heat Treatment		General Tolerances		MIYOTA
Hardness		Dimensions		
Plating		Angles		