




Coordinates		
Mark	X	Y
GM	0	0
DH11	9359	-9359
DH12	-12271	4958




▲	Quantity	Cal. NO.:	JS26
▲	Unit		1/1000mm
▲	Scale	Parts No.:	7:1
▲	Date	Drawn	
▲	Description	Checked	D. Yamada
▲	Date	Approved	
Material		Alterations	
Heat Treatment		Name:	
Hardness		Drawing No.: JS2600C0	
Plating		Frame for Case	

Material		Alterations	
Heat Treatment		Name:	
Hardness		Drawing No.: JS2600C0	
Plating		Frame for Case	
▲	Quantity	Cal. NO.:	JS26
▲	Unit		1/1000mm
▲	Scale	Parts No.:	7:1
▲	Date	Drawn	
▲	Description	Checked	D. Yamada
▲	Date	Approved	
Material		Alterations	
Heat Treatment		Name:	
Hardness		Drawing No.: JS2600C0	
Plating		Frame for Case	


CONFIDENTIAL 2023/03/28 (14:16:51)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



			Quantity	Cal.NO.:	
			Unit	JS26-00C	
			Scale	Parts No.:	
			Date		
			Drawn		
Mark	Date	Description	Appr.	Checked	Name:
		Alterations	Approved	D. Yamada	
Material				Indications for Dial	
Heat Treatment				Drawing No.: JS2600D0	
Hardness				MIYOTA	
Plating					
			General Tolerances	CITIZEN WATCH CO., LTD. TOKYO, JAPAN	
			Dimensions		
			Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



⑤			Quantity		Cal.NO.:
④			Unit	1 / 1000 mm	
③			Scale	20 : 1	Parts No.:
②			Date		065-505
①			Drawn		
Mark	Date	Description	Appro.	Checked	D. Yamada
Alterations			Approved	Name: SETTING STEM	
Material					Drawing No.: 505000S0
Heat Treatment					MIYOTA CITIZEN WATCH CO., LTD. TOKYO, JAPAN
Hardness					
Plating					